

PRODUCT SPECIFICATION FOR INFORMATION

FINAL SPECIFICATION


Product Name : Ceramic Mono Band Pass Filter

Part No : MBP-C3360_80MM-A-R0

■ History List

No.	Rev. No.	Description	Date	Author	Final Approver
1	R0	Draft	2023.07.05	Jeffrey Jeong	Michael Jeon
2					
3					
4					
5					
6					


■ Mechanical Drawing



■ Electrical Specification

Parameter	Specification	Remark
1. Center Frequency	3360MHz	
2. 3dB Bandwidth	80MHz [3320 ~ 3400MHz]	
3. Insertion Loss	1.56dB Max.	
4. V.S.W.R	1.5:1 Max	
5. Attenuation	60dB min @ 1681MHz & 5040MHz	
6. Group Delay	8.0 nS Max	
7. the variation in Delay	3.0 nS Max	
6. Power Handling Avg, Peak	30dBm Max.	
7. In/Out Impedance	50Ω	
8. Temperature Range	-20°C ~ +70°C	
9. Dimension[WxDxH]	12.7 X 15.5 X 5.1mm Max	

■ Recommended PCB land pattern



 **GROUND SOLDERING POINT**
 **IN/OUT SOLDERING POINT**

■ Test Curve

